

Off Grid Hybrid Solar Energy Storage Battery System 5.12kwh For Home Application

UN38.3, MSDS, UL, CB, BIS, PSE, GB4943.1

Basic Information

- Place of Origin:
- Brand Name: XWELL
- Certification:
 - safety standard, CE, FCC, ROHS, battery UN38.3, MSDS, UL, CB, BIS, PSE
- Model Number: XW-5120W-1
- Minimum Order Quantity: 1 pcs
- Packaging Details: Carton
- Delivery Time: 7-10 working days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram

5000 pcs per month

China

Supply Ability:



Product Specification

Series:	51.2V / 100Ah	
Capacity Of Battery:	5.12kwh	
 Voltage Of Battery: 	51.2V	
Cell Model:	LiFePO4 Cell	
Communication Interface:	RS485, RS232, CAN	
 Internal Impedance: 	≤0.8mΩ	
Standard Charge Voltage:	58.4V	
 Max Charge Current: 	40A	
 Parallels Function: 	Support 8 Units In Parallels	
• Discharge Cut-off Voltage:	40V	
 Highlight: 	Solar Energy Storage Battery System 5.12kwh, Hybrid Solar Energy Storage Battery, Home hybrid solar battery	

Application of Solar Energy Storage Battery System

- On/off grid solar system is widely used in the following places:
- 1. Mobile equipment such as motor homes and ships;
- 2. Used for civilian and civilian life in remote areas without electricity, such as plateaus, islands, pastoralareas, border posts,
- etc, such as lighting, televisions, and tape recorders; 3. Home rooftop grid-connected power generation system;
- Photovoltaic water pump to solve drinking and irrigation of deep water wells in areas without electricity
- 5. Transportation field. Such as beacon lights, signal lights, high-altitude obstacle lights, etc;

6. Communication and communication fields. Solar unattended microwave relay station, optical cablemaintenance station, broadcasting and communication power supply system, rural carrier telephone pho-tovoltaic system, small communication machine, soldier GPS power supply, etc.


Features of Solar Energy Storage Battery System

- 1. Pure sine wave AC output
- 2. WIFI/ GPRS remote monitoring (optional)
- 3. Parallel operation available
- 4. Compatible to mains voltage or generator power
- 5. MPPT solar charge controller to maximize the solar output
- 6. Configurable AC/ solar input priority via LCD setting

Specification of Residential Battery Storage System


Model	51.2V50Ah	51.2V100Ah	51.2V200Ah	
Nominal capacity (kwh)	2.56	5.12	10.24	
Nominal voltage	51.2V			
Cell type	LiFePO4			
Standard charge voltage	58.4V (adjustable)			
Max discharge current	40A	80A	120A	
Discharge cut-of voltage	40V (adjustable)			
Max discharge current	50A	100A	200A	
Parallels Function	Support 8 units in parallels			
Communication interface	RS485, RS232, CAN			
Cycle life	>6000 Cycles(80%DOD)			
Charge temperature	0~65°C			
range	0-05 C			
Discharge temperature	-20~65°C			
range				
Color	white			
Dimension(mm)	550x440x125	600x510x173	800x710x273	
Weight	29kg	47kg	80kg	
Installation method	Wallmounted/Floor type			








Home Energy Storage System Size





A: We have a perfect pre-sales service and after-sales service system. We will start to track the whole process from the factory production, and there will be a service specialist to provide you with exclusive service, so as to ensure that there is no problem in the entire order process.

2. Q: Do you provide samples?

A: Yes, sample orders are welcomed.

3. Q: Do you provide OEM&ODM service?

A: Yes, we provide OEM&ODM service for most of our products. Please contact our sales manager for details.

4. Q: What can you buy from us?

A: Solar Panel, BIPV, Solar cleaning robot, Battery, Portable power supply, and other solar energy products. If you have any needs, you can contact our sales managers. We will find the best solution for you.

5. Q: Are the products in stock?

A: For most products, we have inventory and will arrange delivery in time. For large orders, we will calculate the delivery time accordingly and communicate with you.

XWELL GUANGDONG XWELL TECHNOLOGY CO., LTD.

🕒 +86 18620492985 🛛 🖻 sales@esslithiumbattery.com 📀 esslithiumbattery.com

Room 322, Building 3, No. 801, Qiaoxing Avenue, Xiaoluo Village, Shatou Street, Panyu District, Guangzhou, China