



Lifepo4 Stackable Battery Storage All In One For Home Energy Storage

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: XWELL
- Certification: UN38.3, MSDS, UL, CB, BIS, PSE, GB4943.1 safety standard, CE, FCC, ROHS, battery UN38.3, MSDS, UL, CB, BIS, PSE
- Model Number: XW-HL512
- Minimum Order Quantity: 1 pcs
- Packaging Details: Carton
- Delivery Time: 7-10 working days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 pcs per month



Product Specification

- Module Number: 1 Pcs
- Capacity: 5120wh
- Battery Cell Arrangement: 15S1P 1pcs
- Voltage Max: 48V
- Weight: 96.5kg
- Nominal Voltage: 48V
- Dimension: 600*460*457mm
- Battery Cell Type: LiFePO4
- Rated Working Current: 100A
- Communication CAN/RS485/RS232
AC110V/220V/50Hz/60Hzmethod:
- Highlight: **Lifepo4 Stackable Battery Storage, Home Stackable Battery Storage**

Product Description

Lifepo4 Stackable Home Battery Lithium Inverter All In One For Home Energy Storage Battery Solar System Deep Cycle

Description of Stackable Home Battery

The product is mainly composed of high-quality lithium iron phosphate battery and smart energy storage inverter. When the sunlight is sufficient during the day, the excess power generation of the rooftop photovoltaic system is stored in the energy storage system, and the energy of the energy storage system is released at night to supply power for household loads, so as to achieve self-sufficiency in household energy management and greatly improve the economical performance of the new energy system. At the same time, in the event of a sudden power outage/power failure of the power grid, the energy storage system can take over the electricity demand of the whole house in time. The capacity of a single battery is 5.32kWh, and the total capacity of the largest battery stack is 30.72kWh, providing a stable power supply for the family.


Advantages of Residential Battery Storage System

1. Easy to install
2. Modular quick plug, Installation efficiency increased by 70%
3. Power density, Increase by 20%, >100WH/Kg
4. Metal shell design, Protection class IP54
5. CTP large module design

ESS Lithium Battery Specification

Model	1 Module	2 Modules	3 Modules	4 Modules	5 Modules	6 Modules
Nominal capacity(kwh)	5.12	10.24	15.36	20.48	25.6	30.72
Operating voltage	48V					
Weight (Kg)	96.5	151.5	206.5	261.5	316.5	371.5
Nominal voltage	48V					
Dimension (mm)	600x460x457	600x460x637	600x460x817	600x460x997	600x460x1177	600x460x1357
Battery cell type	LiFePO4					
Communication method	CAN/RS485/RS232					
Operating temperature range	Charging: 0~45 Discharging: -10~50					
Protection level	IP55					
Installation method	Floor installation					
Cycle life	>6000 Cycles(80%DOD)					
Peak charge/discharge current (@25 ,5S)	100A					
Self-discharge rate	≤3.5%/month/@25°C					
Parallel function	1S~6S					

ESS Lithium Battery Connection Diagram



FAQ

1. Is the battery used in the battery pack grade A?
Yes, we only use Grade A and Brand new cells inside.
2. Do you test and match the battery before installing the battery pack?
Yes, every cell will be tested capacity, IR, voltage to surely match

Voltage: The deviation less than 0.01V
Resistance: The deviation less than 0.1mΩ
Capacity: Same capacity matched

3. How do I store my batteries?

When the product is not in use for a long time, it should be stored in a dry, clean and well-ventilated warehouse at 10°C 35°C, avoiding inflammable and explosive materials; the battery pack should be charged and maintained regularly every three months to ensure that the battery best performance state.

4. What is the cycle life of the battery?

6000 cycle life @ 80% DOD

5. What's the warranty of your 48V/51.2V battery pack?

5 years warranty, if there is broken item under quality problem within warranty time, we will offer free replacements or refund, up to your needs

6. Do your batteries support series or parallel connection?

Our 48V battery packs support up to 15pcs in parallel, if you need series connection, please contact our sales staff



XWELL GUANGDONG XWELL TECHNOLOGY CO., LTD.

+86 18620492985

sales@esslithiumbattery.com

esslithiumbattery.com

Room 322, Building 3, No. 801, Qiaoxing Avenue, Xiaoluo Village, Shatou Street, Panyu District, Guangzhou, China